

AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions and listings of claims in the application:

1. (Currently Amended) A telephone set comprising:

a connection means to execute a connecting process for enabling transmission and reception of an information signal by radio communication to and from a first home appliance ~~at least one of a plurality of home appliances~~ which supports ~~support~~ audio transmission or reception by radio communication with a second home appliance, the first home appliance being and are remote-controllable by a single radio communication control protocol;

a control means for generating, upon arrival of an incoming call, a remote control signal to the ~~at least one~~ first home appliance; and

a radio communication means for sending the remote control signal to the ~~at least one~~ first home appliance by radio communication;

wherein the radio communication means is operable to receive a confirmation signal from the first ~~at least one~~ home appliance indicating that the first ~~at least one~~ home appliance has received the remote control signal; and ~~and~~ [[.]]

wherein the second home appliance reproduces audio data transmitted by the first home appliance.

2. (Currently Amended) The telephone set according to claim 1, wherein the radio communication and the ~~single~~ control protocol are the Bluetooth communication and control protocols.

3. (Currently Amended) The telephone set according to claim 1, wherein the remote control signal serves to stop the second home appliance from reproducing audio data ~~audio output of the at least one home appliance under control.~~

4. (Currently Amended) The telephone set according to claim 1, wherein the connection means executes a connecting process in advance and the connection is maintained or reestablished periodically so as to enable fast transmission and reception of the information signal to and from the first ~~at least one~~ home appliance without having to reestablish the connection before transmitting a remote control signal or audio data.

5. (Currently Amended) The telephone set according to claim 1, wherein the connection means executes a connecting process upon arrival of an incoming call so as to enable transmission and reception of the information signal to and from the first ~~at least one~~ home appliance.

6. (Currently Amended) The telephone set according to claim 1, wherein the connection means releases the connection with the first ~~at least one~~ home appliance upon termination of the call.

7. (Currently Amended) The telephone set according to claim 1, wherein the control means simultaneously generates, upon arrival of an incoming call, the remote control signal to the first ~~at least one~~ home appliance ~~appliances~~.

8. (Currently Amended) The telephone set according to claim 1, further comprising a control signal acquisition means to acquire the remote control signal in advance from the first ~~at least one~~ home appliance.

9. (Currently Amended) The telephone set according to claim 3, wherein the remote control signal is a pause command for stopping the audio output is a function to pause the reproduction of audio data by the second home appliance ~~playing operation~~.

10. (Currently Amended) The telephone set according to claim 3, wherein the remote control signal is a sound mute command to mute the reproduction of audio data by the second home appliance ~~for stopping the audio output~~ is a sound mute function.

11. (Currently Amended) The telephone set according to claim 3, wherein the remote control signal further serves to execute another control for sending an incoming-call notice to the second ~~at least one~~ home appliance, wherein audio data for the notice is generated by the telephone set and reproduced by the second home appliance.

12. (Currently Amended) The telephone set according to claim 3, wherein ~~said~~ the control means further executes, upon termination of the call, a control action for resuming the reproduction of audio data by ~~audio output of the~~ second ~~at least one~~ home appliance.

13. (Currently Amended) A communication adaptor installable in a telephone set, comprising:

a connection means to execute a connecting process for enabling transmission and reception of an information signal by radio communication to and from a first home appliance ~~at least one of a plurality of home appliances~~ which supports ~~support~~ audio transmission or reception by ~~the remote~~ radio communication with a second home appliance, the first home appliance being ~~and are~~ remote-controllable by a single radio communication control protocol;

a control means for generating, upon arrival of an incoming call, a remote control signal to the first ~~at least one~~ home appliance; and

a radio communication means for sending the remote control signal to the first ~~at least one~~ home appliance by the radio communication;

wherein the radio communication means is operable to receive a confirmation signal from the first ~~at least one~~ home appliance indicating that the first ~~at least one~~ home appliance has received the remote control signal; and[[.]]

wherein the second home appliance reproduces audio data transmitted by the first home appliance.

14. (Currently Amended) A home appliance control method comprising the steps of:

enabling transmission and reception of an information signal by radio communication to and from a first home appliance ~~at least one of a plurality of home appliances~~ which supports ~~support~~ audio transmission or reception by the radio communication with a second home appliance, the first home appliance being ~~and are~~ remote-controllable by a radio communication means using a ~~single~~ control protocol;

generating, upon arrival of an incoming call, a remote control signal to the first ~~at least one~~ home appliance;

sending the remote control signal to the first ~~at least one~~ home appliance by radio communication; and

receiving a confirmation signal from the first ~~at least one~~ home appliance indicating that the first ~~at least one~~ home appliance has received the remote control signal;

wherein the second home appliance reproduces audio data transmitted by the first home appliance.

15. (Currently Amended) The home appliance control method according to claim 14, wherein the radio communication and the single control protocol are the Bluetooth communication and control protocols.

16. (Currently Amended) The home appliance control method according to claim 14, wherein the remote control signal serves to stop audio output of the second at least one home appliance from reproducing audio data ~~is stopped under control by the remote control signal.~~

17. (Currently Amended) The home appliance control method according to claim 14 wherein, at the connection processing step, the connecting process is executed in advance and the connection is maintained or reestablished periodically so as to enable fast transmission and reception of the information signal to and from the first at least one home appliance without having to reestablish the connection before transmitting a remote control signal or audio data.

18. (Currently Amended) The home appliance control method according to claim 14 wherein, at the connection processing step, the connecting process is executed upon arrival of an incoming call so as to enable transmission and reception of the information signal to and from the first at least one home appliance.

19. (Currently Amended) The home appliance control method according to claim 14, further comprising a connection releasing step for releasing the connection with the first at least one home appliance upon termination of the call.

20. (Currently Amended) The home appliance control method according to claim 14 wherein, at the remote control signal generating step, the remote control signal is simultaneously generated, upon arrival of an incoming call, to the first ~~at least one~~ home appliance ~~appliances~~.

21. (Currently Amended) The home appliance control method according to claim 14 wherein, at the remote control signal generating step, the remote control signal is acquired in advance from the first ~~at least one~~ home appliance.

22. (Currently Amended) The home appliance control method according to claim 16, wherein the remote control signal is a pause command ~~for stopping the audio output~~ ~~is a control to pause the~~ reproduction of audio data by the second home appliance ~~playing operation~~.

23. (Currently Amended) The home appliance control method according to claim 16, wherein the remote control signal is a sound mute command to mute the reproduction of audio data by the second home appliance ~~for stopping the audio output~~ ~~is a control to mute the sound~~.

24. (Currently Amended) The home appliance control method according to claim 16, wherein the remote control signal further serves to execute another control for sending an incoming-call notice tone to the ~~at least one~~ second home appliance, wherein audio data for the notice is received and reproduced by the second ~~at least one~~ home appliance.

25. (Currently Amended) The home appliance control method according to claim 16, wherein the remote control signal further serves to execute, upon termination of the

call, another control for resuming the reproduction of audio data by the ~~audio output of the second at least one~~ home appliance.

26. (Currently Amended) A program recording medium where a home appliance control program is recorded in such a manner as to be readable and executable by a computer, the control program comprising the steps of:

enabling transmission and reception of an information signal by radio communication to and from a first home appliance ~~at least one of a plurality of home appliances which support~~ supports audio transmission or reception by the radio communication with a second home appliance, the first home appliance being and are remote-controllable by a single radio communication control protocol;

generating, upon arrival of an incoming call, a remote control signal to the first ~~at least one~~ home appliance;

sending the remote control signal to the ~~at least one~~ first home appliance by the radio communication; and

receiving a confirmation signal from the first ~~at least one~~ home appliance indicating that the ~~at least one~~ first home appliance has received the remote control signal;

wherein the second home appliance reproduces audio data transmitted by the first home appliance.

27. (Currently Amended) The program recording medium according to claim 26, wherein the radio communication and the ~~single~~ control protocol are the Bluetooth communication and control protocols.

28. (Currently Amended) The program recording medium according to claim 26, wherein the remote control signal serves to stop audio output of the at least one second home appliance from reproducing audio data ~~is stopped under control by the remote control signal.~~

29. (Currently Amended) The program recording medium according to claim 26, wherein, at the connection processing step, the connecting process is executed in advance and the connection is maintained or reestablished periodically so as to enable fast transmission and reception of the information signal to and from the first ~~at least one~~ home appliance without having to reestablish the connection before transmitting a remote control signal or audio data.

30. (Currently Amended) The program recording medium according to claim 26, wherein, at the connection processing step, the connecting process is executed upon arrival of an incoming call so as to enable transmission and reception of the information signal to and from the first ~~at least one~~ home appliance.

31. (Currently Amended) The program recording medium according to claim 26, wherein the control program further comprises a connection releasing step for releasing the connection with the first ~~at least one~~ home appliance upon termination of the call.

32. (Currently Amended) The program recording medium according to claim 26 wherein, at the remote control signal generating step, the remote control signal is simultaneously generated, upon arrival of an incoming call, to the first ~~at least one~~ home appliance ~~appliances~~.

33. (Currently Amended) The program recording medium according to claim 26 wherein, at the remote control signal generating step, the remote control signal is acquired in advance from the first ~~at least one~~ home appliance.

34. (Currently Amended) The program recording medium according to claim 28, wherein the remote control signal is a pause command ~~for stopping the audio output is a control to pause the reproduction of audio data by the second home appliance playing operation.~~

35. (Currently Amended) The program recording medium according to claim 28, wherein the remote control signal is a sound mute command to mute the reproduction of audio data by the second home appliance ~~for stopping the audio output is a control to mute the sound.~~

36. (Currently Amended) The program recording medium according to claim 28, wherein the remote control signal further serves to execute another control for sending an incoming-call notice tone to the second ~~at least one home~~ appliance, wherein audio data for the notice is received and reproduced by the second home appliance.

37. (Currently Amended) The program recording medium according to claim 28, wherein the remote control signal further serves to execute, upon termination of the call, another control for resuming the reproduction of audio data by the second ~~audio output of the at least one~~ home appliance.

38. (New) The telephone set according to claim 1, wherein the telephone set does not ring upon arrival of the incoming call.

39. (New) The telephone set according to claim 1, wherein the connection means transmits a message to determine if the first home appliance is within communication range.

40. (New) The telephone set according to claim 1, wherein the first home appliance is not remote-controllable until an authentication procedure is executed between the telephone set and the home appliance.

41. (New) The telephone set according to claim 40, wherein the authentication procedure is to verify a password preset in the telephone set and the first home appliance.

42. (New) The telephone set according to claim 1, wherein the telephone set is a master device and the first appliance is a slave device in a first network, and the first appliance is a master device and the second appliance is a slave device in a second network.

43. (New) The telephone set according to claim 6, wherein a connection between the first home appliance and second home appliance is maintained when releasing the connection between the telephone set and the first home appliance.